FlinAmp 200 5kWh LiFePO4 Battery

Smart BMS with Inverter Communication

Up to 200A Discharge Current

Parallel up to 16 batteries

SFlin Energy

FlinAmp 200: Leading the way in energy storage, our 5kWh-24V LiFePO4 Battery offers cutting-edge design for optimal performance, safety, and longevity. This rechargeable lithium iron phosphate (LiFePO4) battery stands out with advanced features, making it the reliable choice for diverse applications.

FlinAmp 200 5kWh LiFePO4 Battery is not just a power storage solution; it is a smart, reliable, no-maintenance, and safe choice for those seeking advanced energy storage technology with seamless integration capabilities.

Features

- 200A peak discharge current
- Built-in intelligent BMS with advanced safeguards
- Integrated RS485 communication with Flin Inverters
- Continuous load discharge up to 4.8kW
- ✤ 3000 Cycle life
- Stackable with the capability to parallel up to 16 modules
- Zero Maintenance storage solution
- Compatible with various inverters-chargers and solar inverters
- Built-In WiFi Monitoring



High Discharge Current

Capable of handling 4.8kW or 200A loads, the FlinAmp 200 is a robust power solution. Operating at a 2C rate, this battery module delivers consistent power for various applications, making it reliable for both homes and industries.

Powerful BMS with Smart Monitoring



The intelligent Battery Management System (BMS) syncs with Flin inverters and those from other brands, such as Deye, ensuring a unified and integrated energy storage system. The built-in WiFi monitoring enables remote tracking of all parameters.

Built In Protections



Safety is paramount. FlinAmp 150 comes with a range of built-in protections, including a microprocessor with parallel protection, overcharge protection, short circuit protection, and passive balancing. These features ensure the longevity of the battery while keeping your system secure.

Comprehensive Display



Stay informed with the comprehensive display that provides real-time information on crucial parameters. From charging and discharging currents to the percentage of discharge and State of Charge (SOC), the user-friendly interface keeps you in control of your energy storage system.

Why FlinAmp 200?

	FlinAmp 200	Other Lithium	Lead Acid
Space Saving	✓ Up to 85% saving	Up to 85% saving	×
Life Span	8-10 year	8-10 year	3-5 years
Cycle Life	3000	3000	300-1500
Discharge current	200A	100A	Not Suitable
Round trip charge discharge efficiency	98%	98%	60%
Maintenance	No Maintenance	No Maintenance	Every 3 months
Communication with Inverter	Yes	No	No
Remote Monitoring	Yes	No	No
Battery Management System (BMS)	Smart BMS	Regular BMS	No

Specification for FlinAmp 200 LiFePO4 Battery

Model		FlinAmp 200, 5kWH LiFePO4 Battery	
	Nominal Voltage	25.6V	
General Characteristics	Capacity	200Ah	
	Energy	5120 Wh	
	No of Cells	8S2P	
	Cell Type	Prismatic	
	Cell Chemistry	LFP	
Electrical Characteristics	Recommended Pack Charging Voltage	28V	
	Maximum Pack Charging Voltage	28.4V	
	Recommended Pack Discharge Cut-Off Voltage	22.8V	
	Minimum Pack Discharge Cut-Off Voltage	22.4V	
	Charging Mode	CCCV	
	Recommended Charging Current	60A	
	Maximum Charging Current	100A	
	Maximum Discharge Current	200A	
	Cell Discharge Protection Level	2.85V	
	Cell Charge Protection Level	3.5V	
	Cycle Life (at 25 degrees Celsius)	3000	
Protections	BMS Type	Microprocessor with parallel protection	
	Communication	RS485, CAN & WiFi	
	Cell Balancing	Active Balancing	
	Over Current Protection	Yes	
	Short Circuit Protection	Yes	
	Temperature Protection	Yes	
Temperature		Charge temp: 0-50	
	Working Temperature (degree Celsius)	Discharge temp: -10 to 50	
	Storage Temperature (degree Celsius)	0-45	
Masharita	Casing Type	MS, rack mountable	
Mechanical Characteristics	Weight	54.6 kgs	
Characteristics	Dimensions (lxwxh) mm	482 x 600 x 175	

*Product Specifications are subject to change without prior notice.